



## V1000 Series Network Video Recorder

### Entry Level Surveillance NVR

The V1000 Series Network Video Recorders (NVRs) are a scalable control and archive platform targeted for entry level IP video surveillance applications. This SurVIS™ (Surveillance Video Information Server) NVR comes in desktop or rack mount form factors, runs commercially available Digital Video Surveillance Management software, scales in both video processing power and archive capacity, comes with a Microsoft Windows Operating System pre-installed and allows the user to view live or recorded video across 1, 2 or 4 monitors. The V1000 series of products optimize performance for low camera count applications. With the ability to process up to 500 VGA (6400 x 480) images per second or 75 Mbps, depending on software package, the V1000 is ideally suited for low camera count installations. The NVR provides the ability to record and retrieve video and monitor alarms on a single application specific appliance. The V1000 supports up to 4 SATA III hard drives and storage can be scaled to 56 TB in a non-RAID configuration. Desktop systems support the addition of one RDX removable hard drive bay and a 2 TB drive and a 24" monitor.

In green field installations or system upgrades, network surveillance systems like those offered by VNS are an excellent choice to meet end user's increasing demands from their security systems.

### Applications and Features

#### Applications:

- Small Retail or Office
- Residential
- ATM's
- Home Construction
- Gated Community Entrance
- Day Care Centers

#### Features:

- Desktop or Rack Mount Footprint
- Intel® Quad Core Technology
- Expandable system memory
- Flexible video archive size: 1 TB to 56 TB
- Microsoft Windows® Operating System
- Separate OS drive
- Support for 1, 2 or 4 monitors
- Optional on-site support packages



#### Common Configuration:

- **V1010:** 3.4 GHz Dual Core processor, 8 GB of DDR4 RAM, up to 4 SATA II HDs, SSD OS Drive, Windows Operating System, DVD RW and two 10/100/1000 Mbps LAN Ports
- **V1011:** 3.6 GHz Quad Core processor, 16 GB RAM, up to 4 SATA III HDs, SSD OS Drive, Windows Operating System and two 10/100/1000 Mbps LAN Ports



# ViSTA Networking Solutions

## Specifications:

### SUPPLIED ACCESSORIES

Power Cable (s)	1-3 USA Standard 117VAC, 3 prongs, 6ft
Keyboard	1 Basic Keyboard
Mouse	1 USB/PS2, Scroll Wheel, 3 Button
Restore	All original installation discs
Rail Kit	Rack mount systems only

### SYSTEM

Processor	Intel® i3 Quad Core
Internal Memory	16 GB DDR4 RAM 2933 MHz
Operating System	Windows 10 Pro x64 or Windows 2019 Server
Operating System Storage	500 GB SSD with RAID 1 Option
Video Archive Capacity	Up to 56 TB of SATA III Storage
RAID Level	None, 0, or 5
Network Interface	2 Gigabit Ethernet RJ-45 (1000BaseT)
Auxiliary Interfaces	USB 2.0 and 3.0 Ports
Maintenance	Optional: On-site Next Business Day
Maintenance Upgrade	4 Hour response 24x7 years 1 thru 5

### VIDEO

CIF Processing Equivalent	Up to 500 VGA/sec* or 75 Mbps
Resolution	QCIF to mega-pixel based camera spec
Display	1, 2 or 4 monitor outputs available

### ENVIRONMENTAL

Operating	10° to 32° C (50° to 90° F), 8% to 80% (non-condensing)
Storage	-40° to 70° C (-40° to 158° F), 5 to 95% (non-condensing)

### PHYSICAL

#### CASE A

Form Factor	Mid-Tower Desk Top with 2 Internal Storage Bays
Power Supply	500 watt
Cooling	1 rear 120mm Fan
Dimensions	(HxWxD) 18.3 x 8.25 x 18.6 in. (465 x 210 x 472 mm)
Unit Weight (gross)	Approximately 30 lbs (9.1 kg.)

#### CASE B

Form Factor	Mid-Tower Desk Top with 4 Hot Swappable Storage Bays
Power Supply	650 watt
Cooling	1 x 92 mm
Dimensions	(HxWxD) 16 x 7 x 20.9in. (427 x 178 x 531 mm)
Unit Weight (gross)	Approximately 50 lbs (22.7 kg.)

#### CASE C

Form Factor	Mid-Tower Desk Top with 4 Hot Swappable Storage Bays
Power Supply	650 watt 1+1 Redundant
Cooling	1 x 120 mm (Rear) & 2 x 120 mm (Middle) Fans
Dimensions	(HxWxD) 16.7 x 8.7 x 24.4 in. (425 x 220 x 620 mm)
Unit Weight (gross)	Approximately 50 lbs (22.7 kg.)



# ViSTA Networking Solutions

## CASE K

Form Factor	2U Rack Mount with 2 Internal Storage Bays
Power Supply	400 watt
Cooling	2x80mm (front) & 1x60mm, 2x40mm Fans (Rear)
Dimensions	(HxWxD) 3.5 x 19.4 x 16.6 in. (88 x 493 x 422 mm)
Unit Weight (gross)	Approximately 50 lbs (22.7 kg.)

## CASE L

Form Factor	2U Rack Mount with 4 Hot Swappable Storage Bays
Power Supply	500 watt
Cooling	4 x 80mm (front)
Dimensions	(HxWxD) 3.5 x 16.8 x 25.6 in. (89 x 426 x 650 mm)
Unit Weight (gross)	Approximately 60 lbs (27.3 kg.)

## CASE M

Form Factor	2U Rack Mount with 4 Hot Swappable Storage Bays
Power Supply	650 watt Redundant
Cooling	4 x 80mm (front)
Dimensions	(HxWxD) 3.5 x 16.8 x 25.6 in. (89 x 426 x 650 mm)
Unit Weight (gross)	Approximately 60 lbs (27.3 kg.)



# ViSTA Networking Solutions

## Part Numbering:


VNS Part numbers are 14 characters.

### Platform:

- V1000: Entry Level NVR
- V2000: Mid-Range NVR
- V3000: Enterprise NVR

### Form Factor:

- A: Mid-Tower Desktop
- B: Pedestal Desktop
- C: Pedestal Desktop with Redundant Power Supply
- D: Workstation Desktop
- E: Workstation with Redundant PS
- F: High Density Workstation with Redundant PS
- K: 2U Rack Mount Chassis
- L: 2U Rack Mount with 6 Hot Swap Drives
- M: 2U Rack Mount w/ 6 Hot Swap Drives & Redundant PS
- N: 4U Rack Mount w/8 Hot Swap
- O: 4U Rack Mount w/8 Hot Swap Drives & Redundant PS
- P: 3U Rack Mount w/12 Hot Swap Drives & Redundant PS
- R: 4U Rack Mount w/16 Hot Swap Drives & Redundant PS



**Number of Monitors:** 1, 2, or 4

**Number of Hard Drives:** Quantity of Hard Drives used for Storage (01 = 1, 05 = 5, etc)

**Drive Density:** 05 = 500 GB, 10 = 1000 GB, 20 = 2000 GB, 30 = 3000 GB, 40 = 4000 GB and 60 = 6000 GB

### RAID Status:

- O: No RAID with RDX Drive
- P: RAID 0 with RDX Drive
- Q: RAID 5 with RDX Drive
- R: RAID 5
- S: No RAID
- T: RAID 0

### Operating System:

- K: Windows 2019 Server
- L: Windows 2019 Server with a RAID 1 OS Drive
- X: Windows 10 Professional x64 Edition
- V: Windows 10 Professional x64 Edition with a RAID 1 OS Drive

## Example:

V1011C-10210SX: Entry level NVR in a Desktop case with redundant power supply, support for one monitor, 2000 GB of video storage (2 x 1000 GB hard drives) configured as individual drive volumes with Windows 10 Professional OS.

\*VGA/sec processing dependent on video surveillance management software package  
Specifications subject to change without notice

Not all cases are supported on all platforms  
Intel and Pentium are registered trade marks of Intel Corporation  
Windows is a registered trade mark of Microsoft Corporation